



Product Guide
2024-25

OUR HISTORY



Mumme Tools was founded in South Australia during the Great Depression of 1936 when the late Bill Mumme began forging copper soldering irons. This product became a required item by the Australian Department of Defence in World War Two, where it saw production significantly increase.

A short time after the war, Bill acquired some land in Somerton Park (a beach suburb in Adelaide) to build a factory to cater for increasing sales growth.

Times were tough so Bill set about building it himself. Given the scarcity of building materials available after the war, Bill had to rely on his know-how and ingenuity to make his own bricks for the walls (a mixture of burnt Coke residue 'Clicker' and concrete).

The family moved into a room at the front of the factory and lived there for some years as the business was being further established as Bill couldn't afford to keep a house and factory at the same time.

The Mumme family branched out into the production of wrecking bars, crowbars, and fence bars throughout the 1950's to support emerging Australian economies in the industrial, trade and DIY settings.

Mumme Tools joined the Klein Tools family in 2010, marking a pivotal moment for the ongoing growth of the Australian brand. This collaboration facilitated the expansion of the product range while reinforcing the commitment to delivering quality tools for professional tradespeople and DIY enthusiasts.

The Mumme brand remains instrumental as a company that made light work of the tough tasks and conditions facing Australians. The secret to Mumme's success was designing and evolving tools for the conditions that surpassed anything that was available which demanded quality and longevity of the tools used.



When you choose Mumme Tools, you're choosing a commitment to durability that comes from over 85 years of development for Australians. A tool should be more than just a one-time purchase; it should be an investment that pays dividends over the years. That's why we've made it our mission to create tools that are engineered to endure and get the job done.

We understand the demanding conditions that these tools encounter daily, having served generations of Australian trades and homes. Our commitment to quality materials means you can trust our tools for precision, reliability, and longevity.

Explore our vast range of tools, each carefully designed to serve a specific purpose while delivering exceptional longevity. Whether you're a professional tradesperson, a DIY enthusiast, or a hobbyist, we have the perfect tools to suit your needs.

At Mumme Tools, our meticulously tested and finely tuned tools embody the essence of craftsmanship and resilience. That's why Mumme Tools has built its reputation for over 85 years, consistently delivering tools that make tough work, easy.

Made Tough Since 1936

CONTENTS

Our History 02

Why Mumme 03

Visit Our Website 08

Hammers

- > Ball Pein Hammers
- > Club Hammers
- > Demolition Hammers
- > Gympie Hammers
- > Cross Pein Hammers
- > Sledge Hammers
- > Scaffold Hammers
- > Welding Hammers
- > Normalised Hammers
- > Spiking Hammers
- > Copper Hammers
- > Brass Hammers
- > Dead Blow Hammers
- > Mallets
- > Spare Parts



9

Bars

- > Demo Bar
- > Pinch Bars
- > Podger Bars
- > Reno Bar
- > Wrecking Bars
- > Pry Bars
- > Spoon Bars
- > Steel Scaling Bars
- > Aluminium Scaling Bars



27

Punches

- > Brass Punches
- > Centre Punches
- > Flooring Punches
- > Nail Punches
- > Pin Punches
- > Podger Bars
- > Punches & Pin Sets
- > Roofing Punches
- > Wire Rope Punches



33

Chisels

- > Cold Set
- > Alloy Cold Chisels
- > Alloy Masonry Chisels
- > Chisel Bars
- > Cold Chisels



40

Wedges

- > Steel Fox Wedges
- > Stainless Steel Fox Wedges



44

Drifts

- > Barrel Drifts
- > Starter Drifts



46

Automotive

- > Removal Tyre Levers
- > Fitting Tyre Levers
- > Heavy Duty Tyre Levers
- > Bead Breakers
- > Cleat Bars



49

Landscaping & Gardening

- > Pulveriser Digging Bar
- > Fence Bars
- > Trenchinator Remover Bars
- > Crow Bars
- > Star Dropper Hammers
- > Star Dropper Removers
- > Fencing Pliers
- > Insulated Bars



53

Masonry & Bricklaying

- > Brick Bolster
- > Electricians Bolster
- > Plumbers Bolster
- > Scutch Combs
- > Scutch Hammer
- > Scutch Holders
- > Plugging Chisel



58

Roofing

- > Turn Up/Turn Down Tool



61

Scraping

- > Floor Scrapers
- > Spare Parts



63

Handles

- > File Handles
- > Rubber Grips



65



TOUGH WORK MADE EASY






VISIT OUR NEW WEBSITE!

Visit the New Mumme Tools website for all the up to date information on promotions, features & benefits, product Imagery & Videography.

www.mummetools.com.au

MUMME TOOLS



OUR HISTORY

Learn about the history of Mumme Tools and how the business became what it is today.

PRODUCT CATALOGUE

Scroll through our large range of products and read our F&Bs to decide which suits you better.

CUSTOMER SUPPORT

Our website offers in-depth support with a contact form that allows you to ask questions with our support team.

WHERE TO BUY

Our range of tools are available Australia wide, find out where the closest stockist is in your location.

SOCIAL MEDIA

Follow our social media channels to stay up to date with promotions and sales on our products.

WEBSITE





01

HAMMERS

01 - STEEL HAMMERS

Ball Pein Hammers

675g - 1.36kg

- Useful for engineers, used in metal work for striking punches and chisels
- Hammer ball end for riveting work
- Hammer heads are wedge pinned through the wooden Hickory handle for a uniquely shock-resistant characteristic
- Hardened and tempered steel head that will give precision striking force, durability and longevity
- Includes tether hole for working at heights



STEEL HEAD

HICKORY HANDLE

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HBPH0.675	Ball Pein Hammer	675g (24oz)	375mm
5HBPH0.900	Ball Pein Hammer	900g (32oz)	400mm
5HBPH1.135	Ball Pein Hammer	1.135kg (40oz)	425mm
5HBPH1.360	Ball Pein Hammer	1.36kg (48oz)	425mm

Ball Pein Hammer

675g [24oz]

- Useful for engineers, used in metal work for striking punches and chisels
- Hammer ball end for riveting work
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Hardened and tempered steel head that will give precision striking force, durability and longevity
- Includes tether hole for working at heights



STEEL HEAD

PINNED FG HANDLE

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HBPRH0.675	Ball Pein Hammer	675g (24oz)	350mm

Ball Pein Hammers

453g - 900g

- Useful for engineers and used in metal work for striking punches and chisels
- Also used for riveting work with hammer ball end
- Hardened and tempered steel head that will give precision striking force, durability and longevity
- Unique reinforced, ribbed design, shock absorbing fibreglass handle
- Includes tether hole for working at heights



STEEL HEAD

FIBRE GLASS HANDLE

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
6HBP5GFH0.450	Ball Pein Hammer	453g (16oz)	330mm
6HBP5GFH0.675	Ball Pein Hammer	675g (24oz)	360mm
6HBP5GFH0.900	Ball Pein Hammer	900g (32oz)	370mm

Masons Club Hammer

1.36kg (3lb)

-  Small and lightweight hammer is great for general building and construction work.
-  Hardened and tempered steel head that will give precision striking force, durability and longevity
-  Hammer heads are wedge pinned through the wooden Hickory handle for a uniquely shock-resistant characteristic
-  Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HCMH1.35	Masons Club Hammer	1.36kg (3lb)	250mm

Masons Club Hammer

1.36kg (3lb)

-  Small and lightweight hammer is great for general building, construction work
-  Hammer heads are pinned through the steel core of the fibreglass handle for added safety
-  Hardened and tempered steel head that will give precision striking force, durability and longevity
-  Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HCMFRH1.35	Masons Club Hammer	1.36kg (3lb)	275mm

Masons Club Hammer

1.36kg (3lb)

-  Small and lightweight hammer is great for general building, construction work
-  Hammer heads are pinned through the steel core of the fibreglass handle for added safety
-  Hardened and tempered steel head that will give precision striking force, durability and longevity
-  Hi-Vis yellow handle for increased visibility
-  Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HCMFRHY1.35	Masons Club Hammer - Hi-Vis	1.36kg (3lb)	275mm

01 - STEEL HAMMERS

Demolition Hammer

1.81kg [4lb]

- Perfect for demolition work, breaking through dry wall and masonry walls
- Used for dislodging items and breaking up concrete
- Hardened and tempered steel head that will give precision striking force, durability and longevity
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Includes tether hole for working at heights



STEEL HEAD

PINNED FG HANDLE

PART NO.	DESCRIPTION	WEIGHT	HANDLE LENGTH
SHDFRH04400	Demolition Hammer	1.81kg (4lb)	400mm

Gympie Hammer

2kg [4.4lb]

- Ideal for mining and drilling work in confined spaces
- Heavy head with a short handle for maximum impact
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Hardened and tempered steel head that will give precision striking force, durability and longevity
- Hi-Vis yellow handle for increased visibility
- Includes tether hole for working at heights



STEEL HEAD

PINNED FG HANDLE

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
SHDRFRHY2.0	Gympie Hammer - Hi-Vis	2kg (4.4lb)	400mm

English Club Hammer

1.36kg [3lb]

- Small and lightweight hammer is great for general building and construction work
- Perfect for working in confined spaces
- Hammer heads are wedge pinned through the wooden Hickory Handle for a uniquely shock-resistant characteristic
- Use with chisels for cutting stone and metal
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HCEN	English Club Hammer	1.36kg (3lb)	250mm

Cross Pein Hammers

225g - 396g

- Used for cabinet woodwork and joinery, used in a tight space with accuracy
- Thin blade is perfect for starting nails
- Hardened and tempered steel head that will give precision striking force, durability and longevity
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	WEIGHT	HANDLE LENGTH
7HCPH0.225	Cross Pein Hammer - Wooden	225g (8oz)	300mm
7HCPH0.280	Cross Pein Hammer - Wooden	280g (10oz)	300mm
7HCPH0.340	Cross Pein Hammer - Wooden	340g (12oz)	300mm
7HCPH0.396	Cross Pein Hammer - Wooden	396g (14oz)	300mm

Sledge Hammer

1.81kg [4lb]

- A well balanced versatile sledge hammer for building, construction and demolition work
- Hardened and tempered steel head gives precision striking force, durability and longevity
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Includes tether hole for working at heights
- Hi-Vis yellow handle for increased visibility



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HSFRHY04	Sledge Hammer - Hi-Vis	1.81kg (4lb)	250mm

01 - STEEL HAMMERS

Sledge Hammers

1.81kg - 6.35kg

- Ⓜ A well balanced versatile sledge hammer for building, construction and demolition work
- Ⓜ Hardened and tempered steel head gives precision striking force, durability and longevity
- Ⓜ Hammer heads are wedge pinned through the wooden Hickory handle for a uniquely shock-resistant characteristic
- Ⓜ Includes tether hole for working at heights

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5SHSH04	Sledge Hammer	1.81kg (4lb)	600mm
5SHSH07	Sledge Hammer	3.18kg (7lb)	750mm
5SHSH08	Sledge Hammer	3.63kg (8lb)	750mm
5SHSH10	Sledge Hammer	4.53kg (10lb)	900mm
5SHSH14	Sledge Hammer	6.35kg (14lb)	900mm
5SHSH064000S	Sledge Hammer with Overstrike Protection	2.72kg (6lb)	400mm



STEEL HEAD

HICKORY HANDLE

5SHSH064000S:
Sledge Hammer with
Overstrike Protection

Sledge Hammers

1.81kg - 6.3kg

- Ⓜ A well balanced versatile sledge hammer for building, construction and demolition work
- Ⓜ Hardened and tempered steel head gives precision striking force, durability and longevity
- Ⓜ Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Ⓜ Includes tether hole for working at heights

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HSFRH04	Sledge Hammer	1.81kg (4lb)	400mm
5HSFRH04600	Sledge Hammer	1.81kg (4lb)	600mm
5HSFRH07	Sledge Hammer	3.2kg (7lb)	800mm
5HSFRH10	Sledge Hammer	4.5kg (10lb)	900mm
5HSFRH14	Sledge Hammer	6.3kg (14lb)	900mm



STEEL HEAD

PINNED FG HANDLE

Sledge Hammers

1.81kg - 6.3kg

- Ⓜ A well balanced versatile sledge hammer for building, construction, mining and demolition work
- Ⓜ Hardened and tempered steel head that will give precision striking force, durability and longevity
- Ⓜ Unique heavy duty fibreglass handle with comfortable ribbed design
- Ⓜ Includes tether hole for working at heights

PART NO.	DESCRIPTION	WEIGHT	HANDLE LENGTH
9HS5GFH1.8	Sledge Hammer	1.8kg (4lb)	380mm
9HS5GFH3.5	Sledge Hammer	3.15kg (7lb)	900mm
9HS5GFH4.5	Sledge Hammer	4.5kg (10lb)	900mm
9HS5GFH6.3	Sledge Hammer	6.3kg (14lb)	900mm



STEEL HEAD

FIBRE GLASS HANDLE

Scaffold Hammer

1.3kg (46oz)

-  Dual-purpose tool used for scaffold assembly
-  Forged and heat treated for maximum strength
-  Correctly balanced for comfort and ease of use
-  Knurled handle for greater grip and control
-  Includes tether hole for working at heights



PART NO.	DESCRIPTION	WEIGHT	LENGTH
5HSC	Scaffold Hammer	1.3kg (46oz)	320mm

Welding Hammer

Spring Grip - 480g (17oz)

-  Used for chipping off slag and spatter around welds, especially in holes and difficult corners
-  Also suitable for peening welds of hard facing cast iron
-  Finely pointed ends allow access to hard to reach spaces
-  Welded to the handle at the right point for proper balance
-  Spring grip to lessen shock, with a convenient loop for hanging



PART NO.	DESCRIPTION	WEIGHT	HANDLE LENGTH
5WHSP	Welding Hammer - Spring Grip	480g (17oz)	260mm

Welding Hammer

Rubber Grip - 530g (19oz)

-  Used for chipping off slag and spatter around welds, especially in holes and difficult corners
-  Also suitable for peening welds of hard facing cast iron
-  Finely pointed ends allow access to hard to reach spaces
-  Welded to the handle at the right point for proper balance
-  Rubber grip handle for comfort and insulation from radiant heat whilst welding



PART NO.	DESCRIPTION	WEIGHT	HANDLE LENGTH
5WHRG	Welding Hammer - Rubber Grip	530g (19oz)	260mm

01 - SOFT HAMMERS

Ball Pein Hammers

675g - 1.36kg

- Useful for engineers and used in metal work for striking punches and chisels
- Also used for riveting work with hammer ball end
- Normalised hammer head features a softer face (below 20HRC) that will mushroom - ideal for applications where the risk of chipping needs to be minimised
- Hammer heads are wedge pinned through the wooden Hickory handle for a uniquely shock-resistant characteristic
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
7HBPNH0.675	Normalised Ball Pein Hammer	675g (24oz)	375mm
7HBPNH0.900	Normalised Ball Pein Hammer	900g (32oz)	400mm
7HBPNH1.135	Normalised Ball Pein Hammer	1.135kg (40oz)	425mm
7HBPNH1.360	Normalised Ball Pein Hammer	1.36kg (48oz)	425mm

Ball Pein Hammers

450g - 1.36kg

- Useful for engineers and used in metal work for striking punches and chisels
- Also used for riveting work with hammer ball end
- Normalised hammer head features a softer face (below 20HRC) that will mushroom - ideal for applications where the risk of chipping needs to be minimised
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
7HBPNFRH0.450	Normalised Ball Pein Hammer	450g (16oz)	360mm
7HBPNFRH0.675	Normalised Ball Pein Hammer	675g (24oz)	360mm
7HBPNFRH0.900	Normalised Ball Pein Hammer	900g (32oz)	360mm
7HBPNFRH1.360	Normalised Ball Pein Hammer	1.36kg (48oz)	400mm

Ball Pein Hammers

450g - 1.36kg

- Useful for engineers and used in metal work for striking punches and chisels
- Also used for riveting work with hammer ball end
- Normalised hammer head features a softer face (below 20HRC) that will mushroom - ideal for applications where the risk of chipping needs to be minimised
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Hi-Vis yellow handle for increased visibility
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
7HBPNFRHY0.450	Normalised Ball Pein Hammer - Hi-Vis	450g (16oz)	360mm
7HBPNFRHY0.675	Normalised Ball Pein Hammer - Hi-Vis	675g (24oz)	360mm
7HBPNFRHY0.900	Normalised Ball Pein Hammer - Hi-Vis	900g (32oz)	360mm
7HBPNFRHY1.360	Normalised Ball Pein Hammer - Hi-Vis	1.36kg (48oz)	400mm

Ball Pein Hammers

460g - 1.13kg

- Useful for engineers and used in metal work for striking punches and chisels
- Also used for riveting work with hammer ball end
- Normalised hammer head features a softer face (below 20HRC) that will mushroom - ideal for applications where the risk of chipping needs to be minimised
- Fitted with a quality Nupla® fibreglass handle



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
6NHBPNFH0.450	Normalised Ball Pein Hammer - Nupla	460g (16oz)	350mm
6NHBPNFH0.675	Normalised Ball Pein Hammer - Nupla	675g (24oz)	360mm
6NHBPNFH0.900	Normalised Ball Pein Hammer - Nupla	900g (32oz)	360mm
6NHBPNFH1.135	Normalised Ball Pein Hammer - Nupla	1.13kg (40oz)	360mm

Ball Pein Hammers

453g - 900g

- Useful for engineers and used in metal work for striking punches and chisels
- Also used for riveting work with hammer ball end
- Normalised hammer head features a softer face (below 20HRC) that will mushroom - ideal for applications where the risk of chipping needs to be minimised
- Unique reinforced, ribbed design, shock absorbing fibreglass handle
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
6NHBP5GFH0.450	Normalised Ball Pein Hammer	453g (16oz)	330mm
6NHBP5GFH0.675	Normalised Ball Pein Hammer	675g (24oz)	360mm
6NHBP5GFH0.900	Normalised Ball Pein Hammer	900g (32oz)	370mm

Masons Club Hammer

1.36kg (3lb)

- Used for general purpose work, light demolition and work in confined spaces
- Can be used with chisels for cutting stone & metal
- Head is forged then normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised
- Hammer heads are wedge pinned through the wooden Hickory Handle for a uniquely shock-resistant characteristic
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	WEIGHT	HANDLE LENGTH
7HCMNHI.35	Normalised Masons Club Hammer	1.36kg (3lb)	250mm

01 - SOFT HAMMERS

Masons Club Hammer

1.36kg [3lb]

- Used for general purpose work, light demolition and work in confined spaces
- Can be used with chisels for cutting stone & metal
- Head is forged then normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised
- Hammer head is pinned through the steel core of the fibreglass handle for added safety
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
7HCMNFRH1.35	Normalised Masons Hammer	1.36kg (3lb)	270mm

Masons Hammer

1.36kg [3lb]

- Used for general purpose work, light demolition and work in confined spaces
- Can be used with chisels for cutting stone & metal
- Head is forged then normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised
- Hammer head is pinned through the steel core of the fibreglass handle for added safety
- Hi-Vis yellow handle for increased visibility
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
7HCMNFRHY1.35	Normalised Masons Hammer - Hi-Vis	1.36kg (3lb)	270mm

Gympie Hammer

2kg [4.4lb]

- Ideal for mining and drilling work in confined spaces
- Heavy head with short handle for maximum impact
- Head is forged then normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised
- Hammer head is pinned through the steel core of the fibreglass handle for added safety
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	WEIGHT	HANDLE LENGTH
7HDRNFRH2.0	Normalised Gympie Hammer	2kg (4.4lb)	400mm



Demolition Hammer

1.81kg [4lb]

- Perfect for demolition work, breaking through drywall and masonry walls
- Also used for dislodging items and breaking up concrete
- Head is forged then normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HDNFRH04400	Normalised Demolition Hammer	1.8kg (4lb)	400mm

Demolition Hammer

1.8kg [4lb]

- Perfect for demolition work, breaking through drywall and masonry walls
- Also used for dislodging items and breaking up concrete
- Head is forged then normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Hi-Vis yellow handle for increased visibility
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HDNFRHY04400	Normalised Demolition Hammer - Hi-Vis	1.8kg (4lb)	400mm

Sledge Hammers

1.8kg - 6.36kg

- A well balanced versatile sledge hammer for building, construction, mining and demolition work
- Head is normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised
- Hammer heads are wedge pinned through the wooden Hickory handle for a uniquely shock-resistant characteristic
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HSNH04	Normalised Sledge Hammer	1.8kg (4lb)	600mm
5HSNH07	Normalised Sledge Hammer	3.18kg (7lb)	750mm
5HSNH10	Normalised Sledge Hammer	4.33kg (10lb)	900mm
5HSNH14	Normalised Sledge Hammer	6.36kg (14lb)	900mm

01 - SOFT HAMMERS

Sledge Hammers

1.81kg - 12.7kg

- Ⓜ A well balanced versatile sledge hammer for building, construction, mining and demolition work
- Ⓜ Head is normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised
- Ⓜ Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Ⓜ Includes tether hole for working at heights

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HSNFRH04	Normalised Sledge Hammer	1.81kg (4lb)	300mm
5HSNFRH07	Normalised Sledge Hammer	3.2kg (7lb)	800mm
5HSNFRH10	Normalised Sledge Hammer	4.5kg (10lb)	900mm
5HSNFRH14	Normalised Sledge Hammer	6.35kg (14lb)	900mm
5HSNFRH20	Normalised Sledge Hammer	9kg (20lb)	900mm
5HSNFRH28	Normalised Sledge Hammer	12.7kg (28lb)	900mm



Sledge Hammers

1.81kg - 6.35kg

- Ⓜ A well balanced versatile sledge hammer for building, construction, mining and demolition work
- Ⓜ Head is normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised
- Ⓜ Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Ⓜ Includes tether hole for working at heights
- Ⓜ Hi-Vis yellow handle for increased visibility

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HSNFRHY04	Normalised Sledge Hammer - Hi-Vis	1.81kg (4lb)	300mm
5HSNFRHY07	Normalised Sledge Hammer - Hi-Vis	3.2kg (7lb)	800mm
5HSNFRHY10	Normalised Sledge Hammer - Hi-Vis	4.5kg (10lb)	900mm
5HSNFRHY14	Normalised Sledge Hammer - Hi-Vis	6.35kg (14lb)	900mm



Sledge Hammers

1.81kg - 6.35kg

- Ⓜ A well balanced versatile sledge hammer for building, construction, mining and demolition work
- Ⓜ Normalised hammer head features a softer face (below 20HRC) that will mushroom - ideal for applications where the risk of chipping needs to be minimised
- Ⓜ Fitted with a quality Nupla® fibreglass handle

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
6NHSNFH04	Normalised Sledge Hammer - Nupla	1.81kg (4lb)	360mm
6NHSNFH07	Normalised Sledge Hammer - Nupla	3.18kg (7lb)	800mm
6NHSNFH10	Normalised Sledge Hammer - Nupla	4.53kg (10lb)	870mm
6NHSNFH14	Normalised Sledge Hammer - Nupla	6.35kg (14lb)	870mm



Sledge Hammers

1.36kg - 6.3kg

-  A well balanced versatile sledge hammer for building, construction, mining and demolition work
-  Softer face (below 20HRC) that will mushroom - ideal for applications where the risk of chipping needs to be minimised
-  Unique heavy duty fibreglass handle with comfortable ribbed design
-  Includes tether hole for working at heights



SOFT
FACE

FIBRE
GLASS
HANDLE

PART NO.	DESCRIPTION	WEIGHT	HANDLE LENGTH
9NHS5GFH1.36	Normalised Sledge Hammer	1.36kg (3lb)	250mm
9NHS5GFH1.8	Normalised Sledge Hammer	1.8Kg (4lb)	300mm
9NHS5GFH1.8300	Normalised Sledge Hammer	1.8Kg (4lb)	380mm
9NHS5GFH3.5	Normalised Sledge Hammer	3.15Kg (7lb)	900mm
9NHS5GFH4.5	Normalised Sledge Hammer	4.5Kg (10lb)	900mm
9NHS5GFH6.3	Normalised Sledge Hammer	6.3Kg (14lb)	900mm

**OFTEN CHALLENGED
RARELY BEATEN**



01 - COPPER & BRASS HAMMERS

Copper Hammer

1.81kg [4lb]

- Designed for use in non-sparking environments where flammable gases, vapors, or liquids are present
- Copper heads are softer than brass and reduce damage made to threads
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Steel core is immersed in glue, with the pin in a blind hole to avoid sparking
- Hi-Vis yellow handle for increased visibility
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HCFRHY04	Copper Hammer - Hi-Vis	1.81kg (4lb)	400mm

Copper Hammer

1.81kg [4lb]

- Designed for use in non-sparking environments where flammable gases, vapors, or liquids are present
- Copper heads are softer than brass and reduce damage made to threads
- Includes tether hole for working at heights
- Fitted with a quality Nupla® fibreglass handle



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
6NHCFH04	Copper Hammer	1.81kg (4lb)	360mm

Copper Sledge Hammer

1.81kg [4lb]

- Designed for use in non-sparking environments where flammable gases, vapors, or liquids are present
- Copper heads are softer than brass and reduce damage made to threads
- Unique reinforced, ribbed design, shock absorbing fibreglass handle
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
6HCS5GFH1.8	Copper Sledge Hammer	1.81kg (4lb)	360mm



Copper Hammers

454g - 6.35kg

- Designed for use in non-sparking environments where flammable gases, vapors, or liquids are present
- Copper heads are softer than brass and reduce damage made to threads
- Hammer heads are wedge pinned through the wooden Hickory handle for a uniquely shock-resistant characteristic
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HCH01	Copper Hammer	454g (1lb)	300mm
5HCH02	Copper Hammer	907kg (2lb)	350mm
5HCH03	Copper Hammer	1.36kg (3lb)	400mm
5HCH04	Copper Hammer	1.81kg (4lb)	400mm
5HCH07	Copper Hammer	3.18kg (7lb)	750mm
5HCH14	Copper Hammer	6.35kg (14lb)	900mm

Copper Hammers

907g - 12.7kg

- Designed for use in non-sparking environments where flammable gases, vapors, or liquids are present
- Copper heads are softer than brass and reduce damage made to threads
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Steel core immersed in glue, with pin in a blind hole to avoid sparking
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HCFRH02	Copper Hammer	907g (2lb)	360mm
5HCFRH03	Copper Hammer	1.36kg (3lb)	400mm
5HCFRH04	Copper Hammer	1.81kg (4lb)	400mm
5HCFRH06900	Copper Hammer	2.72kg (6lb)	900mm
5HCFRH07	Copper Hammer	3.18kg (7lb)	800mm
5HCFRH10	Copper Hammer	4.53kg (10lb)	900mm
5HCFRH14	Copper Hammer	6.35kg (14lb)	900mm
5HCFRH28	Copper Hammer	12.7kg (28lb)	900mm

Brass Hammers

1.81kg - 6.35kg

- Designed for use in non-sparking environments where flammable gases, vapors, or liquids are present
- Brass heads are pinned through the steel core of the fibreglass handle for added safety
- Harder wearing brass has a longer lasting life compared to copper
- Steel core is immersed in glue, with the pin in a blind hole to avoid sparking
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
7HBRFRH04	Brass Hammer	1.81kg (4lb)	400mm
7HBRFRH07	Brass Hammer	3.18kg (7lb)	800mm
7HBRFRH10	Brass Hammer	4.53kg (10lb)	900mm
7HBRFRH14	Brass Hammer	6.35kg (14lb)	900mm

01 - SPECIALTY HAMMERS

Dead Blow Hammers

940g - 1400g



- Ⓜ Non-sparking polyurethane striking face
- Ⓜ Soft faced hammers reduce damage to striking surface
- Ⓜ Shot-filled head to help control striking power and minimise rebound
- Ⓜ Hi-Vis yellow non-slip comfort grip



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
SHDBP50	Dead Blow Hammer - 50mm	940g (34oz)	340mm
SHDBP60	Dead Blow Hammer - 60mm	1400g (49oz)	370mm

Soft Face Nylon Hammers

690g - 1090g



Hammer Features:

- Ⓜ Replaceable hammer tips
- Ⓜ Nylon tips help reduce damage to striking surface
- Ⓜ Shot-filled head to minimise rebound
- Ⓜ Hi-Vis yellow non-slip comfort grip

Replacement Tip Features:

- Ⓜ Soft tips helps reduce damage to striking surface



5HNT & 5HPT Range:
PVC or Nylon
Replacement Tips Available



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HSFNT30	Soft Face Nylon Hammer - 30mm	690g (24oz)	120mm
5HSFNT40	Soft Face Nylon Hammer - 40mm	830g (30oz)	120mm
5HSFNT50	Soft Face Nylon Hammer - 50mm	1090g (39oz)	120mm

PART NO.	DESCRIPTION	TIP SIZE	SUITABLE FOR
5HNT30	Replacement Nylon Tip	30mm	5HSFNT30
5HNT40	Replacement Nylon Tip	40mm	5HSFNT40
5HNT50	Replacement Nylon Tip	50mm	5HSFNT50
5HPT30	Replacement PVC Tip	30mm	5HSFNT30
5HPT40	Replacement PVC Tip	40mm	5HSFNT40
5HPT50	Replacement PVC Tip	50mm	5HSFNT50



Rubber Mallets

450g - 900g

- Used for metalworking, tiling and automotive work
- Soft faced hammers help reduce damage to striking surface
- Durable black rubber head for longer life or durable white rubber head for non-marking applications
- Hi-Vis yellow non-slip comfort grip
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5RMFG16B	Rubber Mallet - Black - Hi-Vis	450g (16oz)	330mm
5RMFG16W	Rubber Mallet - White - Hi-Vis	450g (16oz)	330mm
5RMFG24B	Rubber Mallet - Black - Hi-Vis	680g (24oz)	365mm
5RMFG24W	Rubber Mallet - White - Hi-Vis	680g (24oz)	365mm
5RMFG32B	Rubber Mallet - Black - Hi-Vis	900g (32oz)	375mm
5RMFG32W	Rubber Mallet - White - Hi-Vis	900g (32oz)	375mm

Carpenters Mallet

340g (12oz)

- Used for woodworking, striking chisels & shaping tools
- Made from premium beech wood to help reduce damage to wood surfaces
- Includes tether hole for working at heights




PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5WM12	Carpenters Mallet	340g (12oz)	300mm

Spiking Hammers


3.62kg (8lb)

- Used in the rail industry for hammering rail road spikes
- Great for breaking up rocks and concrete
- Hammer heads are pinned through the steel core of the fibreglass handle for added safety
- Hardened and tempered steel head that will give precision striking force, durability and longevity
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH
5HSPSRH08	Spiking Hammer	3.62kg (8lb)	900mm
5HSPNSRH08	Normalised Spiking Hammer	3.62kg (8lb)	900mm

HAMMER MAINTENANCE



SIGNS OF DISTORTION

Mumme fibreglass handles feature a steel rod that runs the length of the handle. Our hammer heads are also secured through the steel rod with a roll pin. With overstrikes, this means the head is more likely to start to feel loose, long before there is any risk of it coming off. As soon as there is movement of the hammer head, the hammer must be removed from service and replaced with a new hammer. Mumme normalised, copper and brass hammers all have soft faces. Soft faced hammers are designed to mushroom and distort to reduce the likelihood of chipping.

Safe Use Checklist:

1. Is there excessive mushrooming?
2. Is there any movement in the head?
3. Is there any evidence of excessive overstriking?

If there is evidence of any of the above, the hammer should be replaced to avoid potential injury.



Pinned Steel Core



Severely Mushroomed Hammer Heads






02 BARS

02 - BARS

Demo Bar

1085mm

- Ⓜ Ergonomic lightweight tool set to the optimum angle for working on flooring and walls
- Ⓜ Wide and flat ends remove timber decking and floorboards without damaging them
- Ⓜ Perfect for removing and demolishing stud walls and dismantling pallets
- Ⓜ Finely ground edges get into tight gaps, making demolition work more efficient
- Ⓜ Has extra nail pullers on the prongs



PART NO.	DESCRIPTION	LENGTH
5DEMO	Demo Bar	1085mm

Pinch Bars

450mm - 1800mm

- Ⓜ Used for levering and moving objects into place with a lift and swivel motion
- Ⓜ Heavy-duty hexagonal design for greater control and leverage
- Ⓜ Heel offset to 40° for optimum lifting
- Ⓜ Heat treated for maximum durability

*5PBC180025: Pinch Bar with Collar

- Ⓜ Welded safety collar prevents product falling through mesh and scaffold



*Safety collar included on 5PBC180025



5PB60020: Hexagon Pinch Bar

PART NO.	DESCRIPTION	LENGTH	DIAMETER
5PB45016	Pinch Bar - Hexagon	450mm	16mm
5PB60020	Pinch Bar - Hexagon	600mm	20mm
5PB60025	Pinch Bar - Hexagon	600mm	25mm
5PB75025	Pinch Bar - Hexagon	750mm	25mm
5PB90025	Pinch Bar - Hexagon	900mm	25mm
5PB120030	Pinch Bar - Hexagon	1200mm	30mm
5PB150025	Pinch Bar - Hexagon	1500mm	25mm
5PB165030	Pinch Bar - Hexagon	1650mm	30mm
5PB180025	Pinch Bar - Hexagon	1800mm	25mm
5PB180030	Pinch Bar - Hexagon	1800mm	30mm
5PBC180025	Pinch Bar - Hexagon with Collar	1800mm	25mm

5PBC180025: Hexagon Pinch Bar with Collar

Podger Bars

375mm - 600mm

- Used for levering and aligning applications
- Heat treated for toughness and durability
- Heel set to 40° for optimum levering
- Blade is ground to 30° for easy entry between surfaces
- Hexagon profile to minimise bar roll

*SPOBRC's Podger Bars with Grips

- Comfortable high-visibility rubber safety grip
- Rubber grip prevents product falling through mesh and scaffold



5POB45020:
Podger Bar

5POB45020:
Podger Bar with Grip

PART NO.	DESCRIPTION	LENGTH	DIAMETER
5POB37516	Podger Bar - Hexagon	375mm	16mm
5POB37520	Podger Bar - Hexagon	375mm	20mm
5POB45016	Podger Bar - Hexagon	450mm	16mm
5POB45020	Podger Bar - Hexagon	450mm	20mm
5POB60020	Podger Bar - Hexagon	600mm	20mm
5POB90020	Podger Bar - Hexagon	900mm	20mm
5POBRG45016	Podger Bar - Hexagon with Grip	450mm	16mm
5POBRG45020	Podger Bar - Hexagon with Grip	450mm	20mm
5POBRG60020	Podger Bar - Hexagon with Grip	600mm	20mm

Reno Bar

1350mm

- Great for DIY jobs and renovation/demolition work
- Ergonomic, lightweight tool is set to the optimal angle for working on flooring and walls
- Wide and flat ends remove timber decking and floor boards without damaging them
- Perfect for removing and demolishing stud walls and dismantling pallets
- Finely ground edges get into tight gaps, making demolition work more efficient



PART NO.	DESCRIPTION	LENGTH
5RENO	Reno Bar	1350mm

02 - BARS

Utility Wrecking Bar 380mm


- Used in construction and carpentry work such as door fitting
- Includes three beveled nail slots to easily remove nails
- Finely ground blades for easy insertion and helps reduce damage to timbers when removing
- Curved claw end helps provide greater leveraging power



PART NO.	DESCRIPTION	LENGTH	BLADE WIDTH
5WBU	Utility Wrecking Bar	380mm	45mm

Wrecking Bars 450 - 900mm

- Used for construction, demolition and wrecking work
- Heavy-duty hexagonal design for maximum durability
- Grooved nail claw for effective nail pulling
- Finely ground blades for easy insertion and helps reduce damage to timbers when removing



PART NO.	DESCRIPTION	LENGTH	DIAMETER
5WB45016	Wrecking Bars - Hexagon	450mm	16mm
5WB60020	Wrecking Bars - Hexagon	600mm	20mm
5WB75020	Wrecking Bars - Hexagon	750mm	20mm
5WB90020	Wrecking Bars - Hexagon	900mm	20mm

Heavy Duty Pry Bar Plus 1560mm

- Lightweight bar used for guiding and levering pre-cast concrete panels
- Includes beveled nail slots to easily remove nails
- Metal end cap to inhibit moisture and help prevent rust
- Comfortable rubber handle for better protection from shock and vibration



PART NO.	DESCRIPTION	LENGTH	WIDTH	WEIGHT
7PRBHDP	Heavy Duty Pry Bar - Plus	1560mm	81mm	7kg

Spoon Bars

450 - 750mm

-  Versatile bar used for levering, prying between surfaces, form work and aligning holes
-  Can also be used to move pre-stressed concrete panels and standard retaining wall sleepers
-  Levers/prys with a smooth motion for better stability and reduced surface marking

*7SBRG's Spoon Bars with Grips

-  Comfortable high-visibility rubber safety grip



5SB75022:
Spoon Bar

7SBRG75022:
Spoon Bar with Grip

PART NO.	DESCRIPTION	LENGTH	DIAMETER
5SB45016	Spoon Bar	450mm	16mm
5SB60020	Spoon Bar	600mm	20mm
5SB75022	Spoon Bar	750mm	22mm
5SB115025	Spoon Bar	1150mm	25mm
5SB135025	Spoon Bar	1350mm	25mm
7SBRG45016	Spoon Bar with Rubber Grip	450mm	16mm
7SBRG75022	Spoon Bar with Rubber Grip	750mm	22mm



02 - BARS

Steel Scaling Bars 1200 - 2400mm


- Used in the mining industry for prying and 'scaling' down loose rocks from overhead in underground openings
- Heat treated blades for maximum toughness
- Hexagon profile for greater control
- Heel offset to 40° for optimum levering

PART NO.	DESCRIPTION	LENGTH	DIAMETER
7SC120019	Scaling Bar - Hexagon Steel	1200mm	19mm
7SC120022	Scaling Bar - Hexagon Steel	1200mm	22mm
7SC150019	Scaling Bar - Hexagon Steel	1500mm	19mm
7SC150022	Scaling Bar - Hexagon Steel	1500mm	22mm
7SC180019	Scaling Bar - Hexagon Steel	1800mm	19mm
7SC180022	Scaling Bar - Hexagon Steel	1800mm	22mm
7SC210019	Scaling Bar - Hexagon Steel	2100mm	19mm
7SC240019	Scaling Bar - Hexagon Steel	2400mm	19mm

Aluminium Scaling Bars 1800 - 3050mm

- Used in the mining industry for prying and 'scaling' down loose rocks from overhead in underground openings
- Lightweight aluminium tube body reduces user fatigue
- Inserted steel ends forged from tough carbon manganese steel
- Heel offset to 40° for optimum levering

PART NO.	DESCRIPTION	LENGTH	DIAMETER
7SCT1800	Scaling Bar - Round Aluminium	1800mm	32mm
7SCT2400	Scaling Bar - Round Aluminium	2400mm	32mm
7SCT3050	Scaling Bar - Round Aluminium	3050mm	32mm





03

PUNCHES

03 - PUNCHES

Brass Punches

10 - 32mm

- Soft punch used for driving in situations where steel punches could cause damage to threads
- Knurled handle for better grip
- Ideal for use in non-sparking environments
- Made from specially selected brass
- Individual punches include convenient, re-usable tubes to keep punches in

4BPSET5 - 5 Piece Brass Punch Set

- 5 Piece Set includes durable zip wallet to keep the set organised

7BP292xx - 292mm Brass Punches

- Have a longer shaft for extended reach



4BP12

7BP29219



4BPSET5
Brass Punch 5 Piece Set

PART NO.	DESCRIPTION	LENGTH	DIAMETER
4BP10*	10mm Brass Punch	150mm	10mm
4BP12*	12mm Brass Punch	175mm	12mm
4BP16*	16mm Brass Punch	175mm	16mm
4BP19*	19mm Brass Punch	200mm	19mm
4BP25*	25mm Brass Punch	200mm	25mm
4BPSET5	Brass Punch 5 Piece Set	Mixed	
7BP29219	Brass Punch 292mm x 19mm	292mm	19mm
7BP29225	Brass Punch 292mm x 25mm	292mm	25mm
7BP29232	Brass Punch 292mm x 32mm	292mm	32mm

Please Note: Brass Punch 5 Piece Set includes 1 of each punch marked with *

Heavy Duty Centre Punch Set 5 Piece

- Used with harder steels to mark the centre of a hole when drilling to prevent drill wander.
- Super tough steel shaft for punching stainless steel
- Industrial quality with knurled handle for a better grip
- Hardened and tempered for maximum toughness
- Precision ground point
- Includes durable zip wallet to keep the full set organised
- 5 Piece Set includes 4, 5, 6.5, 8 & 10mm



PART NO.	DESCRIPTION	SIZES
4CPHSET5	5 Piece Heavy Duty Centre Punch Set	4, 5, 6.5, 8 & 10mm

Centre Punches

2 - 5mm

- Used to mark the centre of a hole when drilling to prevent drill wander
- Industrial quality with knurled handle for a better grip
- Hardened and tempered for maximum toughness
- Precision ground point
- Individual punches include convenient, re-usable tubes to keep punches in

4CPSET5 Centre Punch 5 Piece Set:

- Set Components: 2, 2.5, 3, 4 & 5mm
- 5 Piece Set includes convenient, re-usable container to keep the full set organised



4CPSET5
Centre Punch 5 Piece Set



PART DESCRIPTION

4CP02PP*	2mm Centre Punch	2mm
4CP02.5PP*	2.5mm Centre Punch	2.5mm
4CP03PP*	3mm Centre Punch	3mm
4CP04PP*	4mm Centre Punch	4mm
4CP05PP*	5mm Centre Punch	5mm
4CPSET5	Centre Punch 5 Piece Set	Mixed

Please Note: Centre Punch 5 Piece Set includes 1 of each punch marked with *

Nail Punch Set

5 Piece

- Used for driving nails below the surface of timber prior to sanding
- Drilled 3mm cup for accurate punching
- Set Components: 2, 2.5, 3, 4 & 5mm
- Includes convenient, re-usable container to keep the full set organised



PART NO.	DESCRIPTION	SIZES
4NPSET5	Nail Punch Set 5 Piece Set	2, 2.5, 3, 4 & 5mm

03 - PUNCHES

Punch & Chisel Set 6 Piece

- 6 Piece combination set of commonly used punches, drifts and chisels
- Ideal apprentice or workshop starter kit
- Set Components:
 - 4mm Long Pin Punch
 - 6mm Long Pin Punch
 - 6.5mm Heavy Duty Centre Punch
 - 8mm Starter Drift
 - 12mm Alloy Cold Chisel
 - 19mm Alloy Cold Chisel



PART NO.	DESCRIPTION
4PCSET6	Punch & Chisel 6 Piece Set

Long Pin Punches 2.5 - 10mm

- Used to drive out pins where added length is needed
- Tough and resilient shaft made from high quality steel
- For maximum strength, the shaft is pressed into the handle with an interference fit
- Industrial quality with knurled handle for a better grip
- Hardened and tempered for maximum toughness

4PPLSET8 Long Pin Punch 8 Piece Set:

- Set Components: 2.5, 3, 4, 5, 6, 6.5, 8 & 10mm
- 8 Piece Set includes durable zip wallet to keep the full set organised



4PPLSET8
Long Pin Punch 8 Piece Set



PART NO.	DESCRIPTION	PUNCH SIZE
4PPL02.5PP	2.5mm Long Pin Punch	2.5mm
4PPL03PP	3mm Long Pin Punch	3mm
4PPL04PP	4mm Long Pin Punch	4mm
4PPL05PP	5mm Long Pin Punch	5mm
4PPL06PP	6mm Long Pin Punch	6mm
4PPL06.5PP	6.5mm Long Pin Punch	6.5mm
4PPL08PP	8mm Long Pin Punch	8mm
4PPL10PP	10mm Long Pin Punch	10mm
4PPLSET8	Long Pin Punch 8 Piece Set	Mixed

Please Note: Long Pin Punch 8 Piece Set includes 1 of each of the listed punch sizes

Short Pin Punches

2 - 6.5mm

-  Tough, resilient shaft made from high quality steel
-  Hardened and tempered for maximum toughness
-  Set Components: 2, 2.5, 3, 4, 5, 6 & 6.5mm
-  Includes durable zip wallet to keep the full set organised



PART NO.	DESCRIPTION	SIZES
4PPS02PP	Short Pin Punch	2mm
4PPSSET7	Short Pin Punch 7 Piece Set	2, 2.5, 3, 4, 5, 6 & 6.5mm

Hexagonal Centre Punches

16 & 20mm

-  Used with harder steels to mark the centre of a hole when drilling to prevent drill wander
-  Super tough steel shaft for punching stainless steel
-  Large body makes for easier striking



PART NO.	DESCRIPTION	PUNCH SIZE	LENGTH	DIAMETER
5CPI3816	8mm Centre Punch	8mm	138mm	16mm
5CPI7520	10mm Centre Punch	10mm	175mm	20mm

Flooring Punch

16mm

-  Used for driving nails below the surface of timber prior to sanding
-  Drilled 3mm cup for accurate punching
-  Precision turned taper for accuracy combined with a soft head that mushrooms for safety
-  Includes convenient, re-usable tube to keep punch in



PART NO.	DESCRIPTION	PUNCH SIZE	LENGTH	DIAMETER
5NPH3	3mm Flooring Punch	3mm	150mm	16mm

03 - PUNCHES

Podger Pins

16 - 30mm

- Used for aligning holes and expanding holes in mild steel
- Long tapered point for ease of aligning
- Forged head for extra strength when struck
- Hex shaft to unwedge and provide a surface for applying wrenches



PART NO.	DESCRIPTION	TIP SIZE	LENGTH	DIAMETER
5POP16	Podger Pin	8mm	300mm	16mm
5POP19	Podger Pin	9mm	350mm	19mm
5POP22	Podger Pin	10mm	420mm	22mm
5POP25	Podger Pin	12mm	420mm	25mm
5POP30	Podger Pin	14.5mm	450mm	30mm

Roofing Punch

16mm

- Used for punching sheet metal prior to nailing or screwing
- Also used as an awl for timber work
- Finely ground and sharpened point for accurate work
- Includes convenient, re-usable tube to keep punch in



PART NO.	DESCRIPTION	PUNCH SIZE	LENGTH	DIAMETER
5RP	Roofing Punch Hexagon	3.5mm	193mm	16mm


Wire Rope Punches

13 - 32mm

-  Used to safely drive out pins and keys
-  Long two-handed rubber handle for comfort
-  Head attached with wire rope to reduce shock transferral during striking
-  Softened striking face combined with a urethane ring reduces the likelihood of chipping from missed hits
-  Main punch end is heat treated for durability



PART NO.	DESCRIPTION	PUNCH SIZE
7WRP13	13mm Wire Rope Punch	13mm
7WRP16	16mm Wire Rope Punch	16mm
7WRP19	19mm Wire Rope Punch	19mm
7WRP22	22mm Wire Rope Punch	22mm
7WRP25	25mm Wire Rope Punch	25mm
7WRP32	32mm Wire Rope Punch	32mm





04 CHISELS

Cold Set with Rubber Grip 225mm

-  Used for striking with a sledge hammer to cut cold materials such as bolts, wire, concrete, flashing from die-casting
-  Shock-absorbing shaft design to minimise transmission of impact when the head is struck
-  Striking face is left softer to mushroom and minimise the risk of chipping
-  Hardened and tempered blade
-  Long two-handed rubber handle for comfort



PART NO.	DESCRIPTION	LENGTH
7SCSH225	Cold Set with Rubber Grip	225mm



**WE DON'T
TAKE
SHORTCUTS**

04 - CHISELS

Alloy Cold Chisels 13 - 25mm

- Used for cutting high tensile steels, welds and hard materials
- Hardened and tempered blade
- Accurately ground to the optimum 60° angle for cutting

5ACSET5 - Alloy Cold Chisel 5 Piece Set

- Includes durable zip wallet to keep the set organised



5ACSET5
Alloy Cold Chisel 5 Piece Set



PART NO.	DESCRIPTION	LENGTH	WIDTH
5AC15013*	150x13mm Alloy Cold Chisel	150mm	13mm
5AC17516*	175x16mm Alloy Cold Chisel	175mm	16mm
5AC20020*	200x20mm Alloy Cold Chisel	200mm	20mm
5AC23022*	230x22mm Alloy Cold Chisel	230mm	22mm
5AC25025*	250x25mm Alloy Cold Chisel	250mm	25mm
5ACSET5	Alloy Cold Chisel 5 Piece Set		Mixed

Please Note: Alloy Cold Chisel 5 Piece Set includes 1 of each chisel marked with *

Alloy Cold Chisel - Rubber Grip 250 x 25mm

- Used for cutting high tensile steels, welds and hard materials
- Correctly hardened and tempered blade
- Accurately ground to the optimum 60° angle for cutting
- Rubber grip protects hands when striking and prevents product falling through mesh and scaffold

PART NO.	DESCRIPTION	LENGTH	WIDTH
7ACPG25025	Alloy Cold Chisel with Grip	250mm	25mm



Alloy Masonry Chisels

25 - 50mm

- Used for general cutting, masonry and renovation work
- Forged from tough chrome alloy steel for a harder blade with great resilience
- Blade is accurately ground to 60 degrees

PART NO.	DESCRIPTION	LENGTH	WIDTH
5CM25025	Alloy Masonry Chisel	250mm	25mm
5CM25038	Alloy Masonry Chisel	250mm	38mm
5CM25050	Alloy Masonry Chisel	250mm	50mm



Chisel Bars

25mm

- Long bar is perfect for accessing hard to reach places
- Used with a heavy hammer for masonry and demolition work
- Ground and sharpened long tapered blade for better performance

PART NO.	DESCRIPTION	LENGTH	WIDTH
5CCB30025	300x25mm Chisel Bar	300mm	25mm
5CCB37525	375x25mm Chisel Bar	375mm	25mm
5CCB45025	450x25mm Chisel Bar	450mm	25mm



Cold Chisels

6 - 25mm

- Used for general purpose cutting including mild steel, bolts and concrete
- Hardened and tempered blade
- Accurately ground to the optimum cutting angle

PART NO.	DESCRIPTION	LENGTH	WIDTH
5CC15006	150x6mm Cold Chisel	150mm	6mm
5CC15010	150x10mm Cold Chisel	150mm	10mm
5CC15013	150x13mm Cold Chisel	150mm	13mm
5CC17516	175x16mm Cold Chisel	175mm	16mm
5CC20020	200x20mm Cold Chisel	200mm	20mm
5CC23022	230x22mm Cold Chisel	230mm	22mm
5CC25025	250x25mm Cold Chisel	250mm	25mm





05

WEDGES

Steel Fox Wedges

8 - 25mm

-  Used for splitting crankcases, flanges and mating surfaces
-  Also used for packing machinery and structures level before fixing
-  Forged and ground blade for easy entry



PART NO.	DESCRIPTION	DIMENSIONS
5FW07538	Fox Wedge	75 x 38 x 12mm
5FW10025	Fox Wedge	100 x 25 x 8mm
5FW17550	Fox Wedge	175 x 50 x 12mm
7FW27050	Fox Wedge	270 x 50 x 25mm

Stainless Steel Fox Wedges

8 - 12mm

-  Used for splitting crankcases, flanges and mating surfaces
-  Also used for packing machinery and structures level before fixing
-  Forged and ground blade for easy entry
-  Corrosion resistant stainless for use in marine environments



PART NO.	DESCRIPTION	DIMENSIONS
7FWSS07538	Stainless Steel Fox Wedge	75 x 38 x 12mm
7FWSS10025	Stainless Steel Fox Wedge	100 x 25 x 8mm
7FWSS17550	Stainless Steel Fox Wedge	175 x 50 x 12mm



06

DRIFTS

Starter Drifts

16 - 30mm

-  Used for aligning work in heavy construction
-  Designed for driving with a hammer to start the removal of very tight pins
-  Taper is forged for a finer grain, giving an overall greater tensile strength

7SDLRG30016

-  Rubber grip protects hands when striking and prevents product falling through mesh and scaffold



5SDL30016

7SDLRG30016

PART NO.	DESCRIPTION	LENGTH	DIAMETER
5SDL30016	Starter Drift	300mm	16mm
5SDL45020	Starter Drift	450mm	20mm
5SDL45025	Starter Drift	450mm	25mm
5SDL45030	Starter Drift	450mm	30mm
7SDLRG30016	Starter Drift - Rubber Grip	300mm	16mm

USING A MUMME TOOL?

WE WOULD LOVE TO HEAR YOUR FEEDBACK

We value the voice of our loyal customers, and want to improve our tools the best way we can, and what better way to do that, than having you help us develop them!

CONTACT US DIRECTLY:
ktamarketing@kleintools.com.au

WE LOOK FORWARD TO HEARING FROM YOU!



06 - DRIFTS

Barrel Drifts

12 - 33mm

- Used for aligning holes in construction and for expanding holes in mild steel
- Reduced likelihood of scoring, even when driven hard
- Heat treated for best performance
- Individual barrel drifts include convenient, re-usable tubes to keep product stored

5BDS5 - Barrel Drift 5 Piece Set

- 5 Piece Set includes durable zip wallet to keep the set organised



5BDS5
Barrel Drift 5 Piece Set



PART NO.	DESCRIPTION	LENGTH	TIP SIZE	DIAMETER
5BD12	Barrel Drift	160mm	5.5mm	12mm
5BD14	Barrel Drift	160mm	6.5mm	14mm
5BD16*	Barrel Drift	160mm	7.5mm	16mm
5BD18	Barrel Drift	160mm	8.5mm	18mm
5BD19*	Barrel Drift	160mm	9mm	19mm
5BD20	Barrel Drift	180mm	9.5mm	20mm
5BD22*	Barrel Drift	180mm	10.5mm	22mm
5BD24	Barrel Drift	180mm	11.5mm	24mm
5BD25*	Barrel Drift	180mm	12mm	25mm
5BD27	Barrel Drift	180mm	13mm	27mm
5BD30*	Barrel Drift	200mm	14.5mm	30mm
5BD33	Barrel Drift	220mm	16mm	33mm
5BDS5	Barrel Drift Set 5 Piece Set		Mixed	

Please Note: Barrel Drift 5 Piece Set includes 1 of each drift marked with *

Starter Drift Set

6 Piece

- Used to help start the removal of very tight pins
- Can also be used to expand and align holes in sheet metal
- Set Components: 2, 3, 5, 6.5, 8 & 10mm
- Includes durable zip wallet to keep the full set organised



PART NO.	DESCRIPTION	SIZES
4SSET6	Starter Drift 6 Piece Set	2, 3, 5, 6.5, 8 & 10mm




07

AUTOMOTIVE

Removal Tyre Lever Straight Halte Bar

930mm

-  Removes tubeless truck tyres
-  Hardened and tempered to be tough and resilient
-  Fine tapered and ground ends for easier use and to lessen the likelihood of damage to tyres
-  Optimal length for greater leverage




PART NO.	DESCRIPTION	LENGTH
5MTL1	Removal Tyre Lever - Straight Halte Bar	930mm

Fitting Tyre Lever Curved Face Bar

930mm

-  Fits tubeless truck tyres
-  Hardened and tempered to be tough and resilient
-  Fine tapered and ground ends for easier use and to lessen the likelihood of damage to tyres
-  Optimal length for greater leverage



PART NO.	DESCRIPTION	LENGTH
5MTL2	Curved Face Bar - Fitting Tyre Lever	930mm

Tyre Lever Rim Tool

930mm

-  Used for transport and agriculture vehicles
-  Forged from tough spring steel
-  Fine tapered and ground ends for easier use and to lessen likelihood of damage to tyres
-  Correctly hardened and tempered for toughness and durability



PART NO.	DESCRIPTION	LENGTH
5TLR19	Tyre Lever Rim Tool	930mm

Tyre Lever Heavy Duty

600mm

-  Stronger lever removes/fits tyres for commercial vehicles, agricultural and construction machinery
-  Heat treated for toughness and durability
-  Fine tapered and ground ends for easier use and to lessen likelihood of damage to tyres
-  Hexagon profile for greater control



PART NO.	DESCRIPTION	LENGTH
5TL600HD	Tyre Lever - Heavy Duty	600mm

Large Tyre Lever

620mm

-  Used for removing/fitting tyres on cars, 4WD's and trucks
-  Double curve on the straight end makes it easier to bring the bead over the edge of the rim
-  Heat treated for toughness and durability
-  Fine tapered and ground ends for easier use and to lessen likelihood of damage to tyres



PART NO.	DESCRIPTION	LENGTH
5TL620	Tyre Lever - Large	620mm

Long Tyre Lever

1030mm

-  Mounting lever with extended length for use on both heavy duty and agricultural vehicles
-  Hardened and tempered for toughness
-  Fine tapered & ground ends for easier use and prevention of damage to tyres



PART NO.	DESCRIPTION	LENGTH
5TLWL22	Tyre Lever - Long	1030mm

Bead Breaker Slide Hammer

1095mm

- Used for breaking beads on car and truck tyres
- Well balanced unit is weighted to where it is needed most - in the striker
- Hardened and tempered foot for durability and toughness
- Optimum length to minimise back strain



PART NO.	DESCRIPTION	LENGTH	WEIGHT
5BB122	Bead Breaker - Slide Hammer	1095mm	7kg

Bead Breaker Chisel

350mm

- Used for breaking tyre beads
- Shaped for easier bead access
- Ground end free of burrs to minimise tyre damage



PART NO.	DESCRIPTION	LENGTH	BLADE WIDTH
7BB130	Bead Breaker Chisel	350mm	51mm

Cleat Bar

900mm

- Used for removing rims from hubs on large earthmoving vehicles
- Fine tapered and ground ends that lessen the likelihood of damage to tyres
- Round profile for better handling and comfort



PART NO.	DESCRIPTION	LENGTH
7CL900	Cleat Bar	900mm



08

**LANDSCAPING
& GARDENING**

Pulveriser Digging Bars

1650 - 1800mm

- Used for digging holes, breaking up clay and cutting through tree roots
- Finely ground and sharpened chisel end
- Forged knob is made to optimum size for tamping and packing soil
- Fence bars are either hexagon profile for control or round profile for handling and comfort



PART NO.	DESCRIPTION	LENGTH	DIAMETER	BLADE WIDTH
5FBR165030	Pulveriser Digging Bar	1650mm	30mm	50mm
5FBR180030	Pulveriser Digging Bar	1800mm	30mm	50mm

Fence Bars

1500 - 1800mm

- Used for digging holes, breaking up clay and cutting through tree roots
- Finely ground and sharpened chisel end
- Forged knob is made to optimum size for tamping and packing soil
- Fence bars are either hexagon profile for control or round profile for handling and comfort



PART NO.	DESCRIPTION	LENGTH	DIAMETER	BLADE WIDTH
5FB150025	Fence Bar - Hexagon	1500mm	25mm	50mm
5FB165025	Fence Bar - Hexagon	1650mm	25mm	50mm
5FB165030	Fence Bar - Hexagon	1650mm	30mm	50mm
5FB180025	Fence Bar - Hexagon	1800mm	25mm	50mm
5FB180030	Fence Bar - Hexagon	1800mm	30mm	50mm
5FBR165025	Fence Bar - Round	1650mm	25mm	50mm
5FBR180025	Fence Bar - Round	1800mm	25mm	50mm

5FB180025: Hexagon Fence Bar

5FBR180025: Round Fence Bar



Trenchinator Remover Bars 1500 - 1800mm



-  Used for digging holes and trenches, removing tree root balls, and breaking up rocks
-  Round shaft and 65mm wide blade for strength and resilience
-  Forged head for tamping down soil around posts
-  Heat treated, fine-edged blade for greater leverage

PART NO.	DESCRIPTION	LENGTH	BLADE WIDTH
SPIB1500	Trenchinator Remover Bar	1500mm	65mm
SPIB1650	Trenchinator Remover Bar	1650mm	65mm
SPIB1800	Trenchinator Remover Bar	1800mm	65mm

Crow Bars 1500 - 1800mm

-  Used for digging holes, breaking up rocks and concrete
-  Accurately ground and sharpened point end is ideal for breaking up rock
-  Through usage on abrasive surfaces the diamond end angle sharpens itself over time
-  Crowbars are either hexagon profile for control or round profile for handling and comfort

*Crowbars marked with * include safety collar to prevent product falling through mesh & scaffold



*Safety collar included on 5CBC180030 & 5CBRC180025



5CB180025:
Hexagon Crowbar

5CBR180030:
Round Crowbar

PART NO.	DESCRIPTION	LENGTH	DIAMETER	BLADE WIDTH
5CB150025	Crowbar - Hexagon	1500mm	25mm	50mm
5CB165025	Crowbar - Hexagon	1650mm	25mm	50mm
5CB165030	Crowbar - Hexagon	1650mm	30mm	50mm
5CB180025	Crowbar - Hexagon	1800mm	25mm	50mm
5CB180030	Crowbar - Hexagon	1800mm	30mm	50mm
5CBC180030*	Crowbar - Hexagon with Collar	1800mm	30mm	50mm
5CBR180030	Crowbar - Round	1800mm	30mm	50mm
5CBRC180025*	Crowbar - Round with Collar	1800mm	25mm	50mm

Star Dropper Remover

920mm

- Used for removing star droppers, star pickets or fencing droppers, selected pipes and steel pegs
- Gripper bites efficiently into the dropper for easy extraction without slipping
- C shaped grasp is designed to offer greater mobility during set up
- Long handle for excellent leverage
- Will remove star droppers from 600mm in length



PART NO.	DESCRIPTION	DIMENSIONS
5SDR	Star Dropper Remover	920 x 150 x 1090mm

Star Dropper Hammer

8.8kg

- Used for driving in star droppers, star pickets or fencing droppers, marker pegs, stakes and concreting stakes
- Heavy 8kg unit drives droppers very quickly and efficiently with little resistance
- Handle and slug are welded together and not to the pipe for strength
- Drives droppers quietly with a solid blow
- Slides 710mm down the dropper



PART NO.	DESCRIPTION	WEIGHT
5SDSH	Star Dropper Hammer	8.8kg

Fencing Pliers

250mm

- Made from high quality chrome vanadium steel
- Designed for heavy-duty use
- Extra long handles for better leverage
- Multi-Function Pliers:
 - Hammer face for striking nails
 - Wire cutters for cutting fence wire
 - Staple puller for easy staple removal
 - Staple holder for easy staple insertion
 - Pliers for stretching/twisting wire
 - Crimping jaws for splicing wire



PART NO.	DESCRIPTION	LENGTH
7FP	Fencing Pliers	250mm

Insulated Fence Bar

1650mm

-  Rated to 15,000V for 1 minute of testing
-  Finely ground and sharpened chisel end (perfect for digging holes and breaking up rock and clay)
-  Yellow under-layer provides visual indication of damage to non-conductive grip
-  Comfortable, non-conductive urethane bonded to the steel
-  Bar is forged from tough carbon manganese steel



PART NO.	DESCRIPTION	LENGTH
71B1650	Insulated Fence Bar	1650mm





09

MASONRY
& BRICKLAYING

Brick Bolster

115mm

-  Used for cutting bricks, concrete, bolts and removing old tiles
-  Strong, heat treated blade for longer life
-  Heavy duty, comfortable safety grip
-  Rugged single piece design



PART NO.	DESCRIPTION	LENGTH	BLADE WIDTH
5BBO	Brick Bolster	240mm	115mm

Electricians Bolster

63mm

-  A multipurpose tool for cutting, chiseling, tiling, chasing plaster and other renovation work
-  Strong, heat treated blade for longer life
-  Heavy duty, comfortable safety grip
-  Rugged single piece design



PART NO.	DESCRIPTION	LENGTH	BLADE WIDTH
5EB	Electrician's Bolster	200mm	63mm

Plumbers Bolster

63mm

-  Multipurpose tool for cutting, chiseling, tiling etc.
-  Long handle for difficult and hard to reach jobs
-  Hardened blade will cut through bricks, concrete and bolts
-  Rugged single piece design



PART NO.	DESCRIPTION	LENGTH	BLADE WIDTH
5PB	Plumber's Bolster	450mm	63mm

09 - MASONRY & BRICKLAYING

Scutch Hammer

38mm

- Used for cleaning, shaping and chasing masonry, including stone and plaster
- Great for renovation, removing cement to replace tiles, cleaning bricks etc.
- Machined slot for accurate blade fitting
- Hammer heads are secured to a hardwood handle
- Includes tether hole for working at heights



PART NO.	DESCRIPTION	LENGTH	WIDTH
5HSCH38	Scutch Hammer - Hardwood Handle	345mm	38mm

Scutch Combs & Holders

Scutch Combs:

- Used with holder for cleaning, shaping and chasing masonry, including stone and plaster
- Made from premium quality steel, hardened and tempered for toughness and durability

Scutch Comb Holders:

- Used for cleaning, shaping and chasing masonry, including stone and plaster
- Great for renovation, removing cement to replace tiles, cleaning bricks etc.



5SC38:
38mm Scutch Comb

PART NO.	DESCRIPTION	WIDTH	LENGTH
5SC25	Scutch Comb	25mm	
5SC38	Scutch Comb	38mm	
5SC50	Scutch Comb	50mm	
5SHWC25	Scutch Comb Holder (with Comb)	25mm	225mm
5SHWC38	Scutch Comb Holder (with Comb)	38mm	225mm
5SHWC50	Scutch Comb Holder (with Comb)	50mm	225mm

5SHWC38: Scutch Comb
Holder (with Comb)

Plugging Chisel

254mm

- Designed for bricklaying and masonry work
- Ideal for cutting mortar joints and cleaning out hardened mortar
- Reverse tapered blade to help avoid jamming
- Ground and sharpened cutting edge



PART NO.	DESCRIPTION	LENGTH	BLADE WIDTH
5PC	Plugging Chisel	254mm	7mm



10

ROOFING

10 - ROOFING

Turn Up Turn Down Tool 320mm

- Ⓜ 10 x faster than using traditional sheet metal gripping tool
- Ⓜ Provides quick & easy access to weathering roof sheeting without kinking or tearing
- Ⓜ Perfect for TL-5 roof profile and can be used on many other roof profiles.

Turn Up Function:

- Ⓜ Used to prevent water entering the roof cavity
- Ⓜ Insert the flat end onto the roofing sheet and turn it up

Turn Down Function:

- Ⓜ Used to prevent water creeping back under the roof sheet
- Ⓜ Insert the bent end onto the roofing sheet and turn it down



HEAD FUNCTION

Turn Up Head

Turn Down Head

WIDTH

110mm

105mm

PART NO.

STUTD

DESCRIPTION

Turn Up/Turn Down Tool

LENGTH

320mm





11

SCRAPING

11 - SCRAPING

Floor Scrapers 150 & 200mm

- Used for general cleaning and scraping across a wide range of surfaces
- Includes 316 stainless steel blade (food, surgical and marine grade)
- Press fit double sided blade is easily reversed for twice the life
- T-handle for better control and ease of use
- Replacement blades sold separately



5SFB200
Replacement Blade



PART NO.	DESCRIPTION	BLADE WIDTH
5SF150	Floor Scraper - T-Handle	150mm
5SF200	Floor Scraper - T-Handle	200mm
5SFB150	Replacement Stainless Steel Blade	150mm
5SFB200	Replacement Stainless Steel Blade	200mm





12

HANDLES

12 - HANDLES

File Handles

75 - 150mm

- Ⓜ Used to handle files and other suitable tools
- Ⓜ Pre-drilled wooden handle with metal collar
- Ⓜ Fits to handle by placing the tang of the file in the hole and tapping lightly until tight
- Ⓜ Untreated softwood timber will absorb sweat and oil when used



PART NO.	DESCRIPTION	LENGTH
5FH075	File Handle	75mm
5FH100	File Handle	100mm
5FH125	File Handle	125mm
5FH150	File Handle	150mm

Protective Rubber Grips

17 - 27mm

- Ⓜ Used to help prevent injury from mis-hits
- Ⓜ Made from non-slip rubber compound
- Ⓜ Provides a comfortable grip for a wide range of tools
- Ⓜ Helps to absorb shock and vibration to minimise user fatigue
- Ⓜ Wide flange prevents products falling through mesh and scaffold



PART NO.	DESCRIPTION	WIDTH
7RPG16	Protective Rubber Grip	17-18mm
7RPG20	Protective Rubber Grip	19-22mm
7RPG27	Protective Rubber Grip	26-27mm

MUMME TOOLS - AUSTRALIAN WARRANTY

"In Australia, we ensure that our products comply with the Consumer Guarantees under the Australian Consumer Law. The Consumer Guarantees require that:

Our products must be of acceptable quality, that is:

- > Safe, long lasting, with no faults
 - > Look acceptable
- > Do all the things someone would normally expect them to do.

Acceptable quality takes into account what would normally be expected for the type of product and cost.

Our products must also:

- > Match descriptions made by the salesperson, on packaging and labels, and in promotions or advertising
 - > Match any demonstration model or sample you asked the business before purchasing
 - > Come with full title and ownership
 - > Not carry any hidden debts or extra charges
- > Come with undisturbed possession, no one has a right to take the goods away or prevent you from using them
- > Meet any extra promises made about performance, condition and quality, such as life time guarantees and money back offers
- > Have spare parts and repair facilities available for a reasonable time after purchase unless you were told otherwise.

Please contact us at:

info@kleintools.com.au

If you have any questions regarding our products and the Consumer Guarantees."



**MADE FOR
TOUGH AUSSIE
CONDITIONS**

PART NO. INDEX

PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE
4BP10	34	5BD16	48	5FB165025	54
4BP12	34	5BD18	48	5FB165030	54
4BP16	34	5BD19	48	5FB180025	54
4BP19	34	5BD20	48	5FB180030	54
4BP25	34	5BD22	48	5FB165025	54
4BPSET5	34	5BD24	48	5FB165030	54
5HDRFRH2.0	12	5BD25	48	5FB180025	54
4CP02PP	35	5BD27	48	5FB180030	54
4CP02.5PP	35	5BD30	48	5FH075	66
4CP03PP	35	5BD33	48	5FH100	66
4CP04PP	35	5BDSET5	48	5FH125	66
4CP05PP	35	5CB150025	55	5FH150	66
4CPHDSET5	34	5CB165025	55	5FW07538	45
4CPSET5	35	5CB165030	55	5FW10025	45
4NPSET5	35	5CB180025	55	5FW17550	45
4PCSET6	36	5CB180030	55	5HBPFRH0.675	10
4PPL02.5PP	36	5CBC180030	55	5HBPH0.675	10
4PPL03PP	36	5CBRI180030	55	5HBPH0.900	10
4PPL04PP	36	5CBRC180025	55	5HBPH1.135	10
4PPL05PP	36	5CC15006	43	5HBPH1.360	10
4PPL06PP	36	5CC15010	43	5HCEN	13
4PPL06.5PP	36	5CC15013	43	5HCFRH02	23
4PPL08PP	36	5CC17516	43	5HCFRH03	23
4PPL10PP	36	5CC20020	43	5HCFRH04	23
4PPLSET8	36	5CC23022	43	5HCFRH06900	23
4PPSSET7	37	5CC25025	43	5HCFRH07	23
4SDSET6	48	5CCB30025	43	5HCFRH10	23
5AC15013	42	5CCB37525	43	5HCFRH14	23
5AC17516	42	5CCB45025	43	5HCFRH28	23
5AC20020	42	5CM25025	43	5HCFRHY04	22
5AC23022	42	5CM25038	43	5HCH01	23
5AC25025	42	5CM25050	43	5HCH02	23
5ACSET5	42	5CPI3816	37	5HCH03	23
5BB122	52	5CPI7520	37	5HCH04	23
5BBO	59	5DEMO	28	5HCH07	23
5BD12	48	5EB	59	5HCH14	23
5BD14	48	5FB150025	54	5HCMFRH1.35	11

PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE
5HCMFRHY1.35	11	5HSNFRHY04	20	5POP16	38
5HCMH1.35	11	5HSNFRHY07	20	5POP19	38
5HDBP50	24	5HSNFRHY10	20	5POP22	38
5HDBP60	24	5HSNFRHY14	20	5POP25	38
5HDFRH04400	12	5HSNH04	19	5POP30	38
5HDNFRH04400	19	5HSNH07	19	5RENO	29
5HDNFRHY04400	19	5HSNH10	19	5RMFG16B	25
5HDRFRHY2.0	12	5HSNH14	19	5RMFG16W	25
5HNT30	24	5HSPSRH08	25	5RMFG24B	25
5HNT40	24	5MTL1	50	5RMFG24W	25
5HNT50	24	5MTL2	50	5RMFG32B	25
5HPT30	24	5NPH3	37	5RMFG32W	25
5HPT40	24	5PB	59	5RP	38
5HPT50	24	5PB45016	28	5SB45016	31
5HSC	15	5PB60020	28	5SB60020	31
5HSCH38	60	5PB60025	28	5SB75022	31
5HSFNT30	24	5PB75025	28	5SB115025	31
5HSFNT40	24	5PB90025	28	5SB135025	31
5HSFNT50	24	5PB120030	28	5SB135025	31
5HSFRH04	14	5PB150025	28	5SC25	60
5HSFRH04600	14	5PB165030	28	5SC38	60
5HSFRH07	14	5PB180025	28	5SC50	60
5HSFRH10	14	5PB180030	28	5SDL30016	47
5HSFRH14	14	5PBC180025	28	5SDL45020	47
5HSFRHY04	13	5PC	59	5SDL45025	47
5SHS04	14	5PIB1500	55	5SDL45030	47
5SHS06400OS	14	5PIB1650	55	5SDR	56
5SHS07	14	5PIB1800	55	5SDSH	56
5SHS08	14	5POB37516	29	5SF150	64
5SHS10	14	5POB37520	29	5SF200	64
5SHS14	14	5POB45016	29	5SFB150	64
5HSNFRH04	20	5POB45020	29	5SFB200	64
5HSNFRH07	20	5POB60020	29	5SHWC25	60
5HSNFRH10	20	5POB90020	29	5SHWC38	60
5HSNFRH14	20	5POBRG45016	29	5SHWC50	60
5HSNFRH20	20	5POBRG45020	29	5TL600HD	51
5HSNFRH28	20	5POBRG60020	29	5TL620	51

PART NO. INDEX

PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE
5TLR19	50	7FWSS17550	45	7SC180022	32
5TLWL22	51	7HBPNFRH0.450	16	7SC210019	32
5TUTD	62	7HBPNFRH0.675	16	7SC240019	32
5WB45016	30	7HBPNFRH0.900	16	7SCSH225	41
5WB60020	30	7HBPNFRH1.360	16	7SCT1800	32
5WB75020	30	7HBPNFRHY0.450	16	7SCT2400	32
5WB90020	30	7HBPNFRHY0.675	16	7SCT3050	32
5WBU	30	7HBPNFRHY0.900	16	7SDLRG30016	47
5WHRG	15	7HBPNFRHY1.360	16	7WRP13	39
5WHSP	15	7HBPNH0.675	16	7WRP16	39
5WM12	25	7HBPNH0.900	16	7WRP19	39
6HBP5GFH0.450	10	7HBPNH1.135	16	7WRP22	39
6HBP5GFH0.675	10	7HBPNH1.360	16	7WRP25	39
6HBP5GFH0.900	10	7HBRFRH04	23	7WRP32	39
6HCS5GFH1.8	22	7HBRFRH07	23	9HS5GFH1.8	14
6NHBP5GFH0.450	17	7HBRFRH10	23	9HS5GFH3.5	14
6NHBP5GFH0.675	17	7HBRFRH14	23	9HS5GFH4.5	14
6NHBP5GFH0.900	17	7HCMNFRH1.35	18	9HS5GFH6.3	14
6NHBPNFH0.450	17	7HCMNFRHY1.35	18	9NHS5GFH1.36	21
6NHBPNFH0.675	17	7HCMNH1.35	17	9NHS5GFH1.8	21
6NHBPNFH0.900	17	7HCPH0.225	13	9NHS5GFH1.8300	21
6NHBPNFH1.135	17	7HCPH0.280	13	9NHS5GFH3.5	21
6NHCFH04	22	7HCPH0.340	13	9NHS5GFH4.5	21
6NHSNFH04	20	7HCPH0.396	13	9NHS5GFH6.3	21
6NHSNFH07	20	7HDRNFRH2.0	18		
6NHSNFH10	20	7IB1650	57		
6NHSNFH14	20	7PRBHDP	30		
7ACPG25025	42	7RPG16	66		
7BB130	52	7RPG20	66		
7BP29219	34	7RPG27	66		
7BP29225	34	7SBRG45016	31		
7BP29232	34	7SBRG75022	31		
7CL900	52	7SC120019	32		
7FP	56	7SC120022	32		
7FW27050	45	7SC150019	32		
7FWSS07538	45	7SC150022	32		
7FWSS10025	45	7SC180019	32		





AUSTRALIA
HEAD OFFICE
2-18 National Drive
Dandenong South
Victoria 3175

A.B.N 35 144 530 647

Marketing Email:
ktamarketing@kleintools.com.au

Accounts Email:
accounts.vic@kleintools.com.au

CUSTOMER SERVICE

Phone: 1300 300 747
Phone: +61 3 8902 7000

Email: salesvic@kleintools.com.au

NEW ZEALAND
178B Carlyle Street
Sydenham
Christchurch 8023

A.B.N 35 144 530 647

Marketing Email:
marketing@kleintoolsnz.com

Accounts Email:
accounts@kleintoolsnz.com

CUSTOMER SERVICE

Phone: 0800 KLEIN NZ
Phone: 0800 553 466

Email: salesvic@kleintools.com.au